



PRODUCT CATALOG

Universal Models 2011

Unwinder-UWseries.
Rewinder-RW series
Un/Rewinder-URW series
Dispenser units-DF series

The manufacturer reserves the right to change specifications without prior notice.

Internet: <http://www.nasab.com>
e-mail: info@nasab.com


Label Unwinder, (UW-S-LC, W=125/180mm, D=260mm)
Label Unwinder, (UW-L-LC, W=125/180mm, D=360mm)
 (Universal Low cost model)

UW-S-LC Model

Width 135mm – Article No.: 108-00-01
 Width 180mm – Article No.: 108-06-01

UW-L-LC Model

Width 135mm – Article No.: 108-00-02
 Width 180mm – Article No.: 108-06-02



UW-S-LC




UW-L-LC

Technical Specification Low cost universal Unwinder Unit UW-LC:

This is a "Universal Stand Alone Low-Cost Model" which can be used together with any Printer.
 No adapter for connecting the printer together with the Unwinder unit is supplied.

Shaft length:	125/180mm
Label roll size, diameter:	12-260/360mm
Weight (net):	0,8 kg/1,5kg
Label/Tag thickness:	80 g/m ²
Length:	200/250mm
Width:	170/250mm
Height:	185/230mm



UW-S-LC with CG2 printer

Label Rewinder, (RW-S-LC, W=130/180mm, D=210mm)
Label Rewinder, (RW-L-LC, W=130/180mm, D=360mm)
 (Universal Low cost model)

RW-S-LC Model
 Width 130mm – Article No.: 108-00-03
 Width 180mm – Article No.: 108-06-03

RW-L-LC Model
 Width 130mm – Article No.: 108-00-04
 Width 180mm – Article No.: 108-06-04



RW-S-LC



RW-L-LC

Technical Specification Low cost universal Rewinder Unit RW-LC:

This is a "Stand Alone Low-Cost Model" which can be used together with any Printer.
 No adapter for connecting the printer together with the Rewinder unit is supplied.

Bobbin length:	130/180mm
Label roll size, diameter:	40-210/360mm
Weight (net):	1,5 kg/2,2kg
Label/Tag thickness:	80 g/m ²
Length:	200/250 mm
Width:	170/250mm
Height:	185/230mm

Note: Power supply included together with the Rewinder.



RW-S-LC with CT408

Label Dispenser Specific SATO Printer model. Label Dispenser unit for Printer



DF4 labeling bread at a bakery in Sweden

External Dispenser (DF), for connection together with any RFID printer.
The dispenser is designed for applying the labels automatically on the product
“**On Line**” together with a printer.
The dispenser is adjustable up/down and in/out to match the different label sizes.

NOTE: All dispenser units are delivered without Floor Stand.
For further information pls. Contact info@nasab.com

Art. No.	Dispenser Unit
	Label width 55mm
99-90-02	DF2E, Dispenser unit with Electronic for external start
99-90-03	DF2, Dispenser unit
99-90-15	DF2XE, Dispenser unit with Electronic for external start. External Label Roll
99-90-16	DF2X, Dispenser unit. External Label Roll
99-90-17	DF2FE, Dispenser unit with Electronic for external start. Label Fan folded
99-90-18	DF2F, Dispenser unit. Label Fan folded
	Label width 125mm
99-90-09	DF4E, Dispenser unit with Electronic for external start
99-90-10	DF4, Dispenser unit
99-90-19	DF4XE, Dispenser unit with Electronic for external start. External Label Roll
99-90-20	DF4X, Dispenser unit. External Label Roll
99-90-21	DF4FE, Dispenser unit with Electronic for external start. Label Fan folded
99-90-22	DF4F, Dispenser unit. Label Fan folded

The manufacturer reserves the right to change specifications without prior notice.